

Index

D, 732
E, 732, 781
K_d, 732
K_e, 732
R-squared, 494
RP, 777
R_i, 732
R_{RF}, 777
V_i, 732
% – –%, 419
% > %, 176
%within%, 420
 \bar{x} , 187
BV, 781
CapEx, 783
CoverageR, 733
DPR, 781
EVA, 795
GR, 733
MVA, 795
NOPAT, 783
PBR, 781
ROE, 781
 SS_{reg} , 496
 SS_{res} , 496
 SS_{tot} , 496
VAR, 770
WACC, 731
WC, 783
*nix, 944
.Net, 28
.cpp, 1017
.xlsx, 105
L^AT_EX, 559, 882
ABC, 740
abline(), 486
abstract thinking, 4
accuracy, 502
accuracy(), 263
ACID, 282, 318
action, 12
activity based costing, 740
Ad(), 641
add_count(), 379
add_predictions(), 601
add_residuals(), 602
addition, 31, 75
adjusted, 641
AER, 755
AES128, 341
AES256, 341
agg(), 986
agnes(), 596
AI, 519
am(), 413
and, 77
ANN, 555
Annapurna, 860
annotate(), 705

BIBLIOGRAPHY

annual percentage rate, 755
anonymizer, 340
anova, 529
Apache, 967
 Spark, 969
API, 943
apply(), 52, 53
APR, 755
apropos(), 92
area under curve, 508
aregImpute(), 444
ARIMA, 264, 265
arithmetic
 operators, 75
arithmetic mean, 188
ARMA, 265
array, 50
array(), 50
artificial intelligence, 519
artificial neural network, 555
as.Date(), 37
as.numeric(), 641
as_tibble(), 345
asset utilisation, 727
assignment, 34
 chained, 78
 left, 78
 right, 78
attr(), 136
AU, 727
AUC, 508, 509
auto.arima(), 265
autoregressive integrated moving
 average model, 265
autoregressive moving average model,
 265
available.packages(), 97

backtesting, 263
bagging, 530
balanced scorecard, 745
barchart, 220
barChart(), 634
barplot(), 220
 barplot(), 220
 BASIC, 279
 batch mode, 33
 BatchGetSymbols, 633
 benchmarking, 1020
 beta distribution, 200
 bias, 449
 bias term, 559
 Big Data, 282
 big data, 959, 965
 bigger or equal, 76
 bigger than, 76
 biglm, 964
 bigmemory, 964
 bimodal, 226
 binning, 448
 binomial, 498
 binomial model, 826
 binomial distribution, 200, 204
 binr, 451
 bins.quantiles(), 451
 biplot(), 583
 Black and Scholes (model), 819
 blob, 168
 book value, 781
 bootstrap(), 613
 bootstrapping, 610
 boxplot, 224
 boxplot(), 224
 boxplo(), 224
 break, 88
 broom, 169
 BS, 819
 BSC, 745
 buildData(), 643
 by(), 429

C, 28, 119, 948
c(), 91, 941
C++, 28, 119, 144, 948, 1012
C#, 119
calleeTreeMap(), 1023
callNextMethod(), 149
Camellia256, 341

- candleChart(), 634
- CapEx, 724
- Capital Asset Pricing Model, 769
- Capital Expenditure, 724
- Capital Expense, 724
- capitalism, 5
- CAPM, 769
- caret, 545
- CART, 526
- Cartesian product, 311
- Cash Flow, 756
- cauchy distribution, 200
- cbind(), 52, 68
- cdf, 200
- ceiling_date(), 421
- central tendency, 186
 - mean, 186
 - median, 191
 - mode, 191
- CGDDM, 778
- chart
 - bar, 220
 - boxplot, 224
 - histogram, 230
 - line, 216
 - pie, 218
 - scatterplot, 213
 - stacked barcharts, 221
- charts, 211
- checkpoint, 977
- chi square test, 198
- chi-squared distribution, 200
- chisq.test(), 199
- Cl(), 641
- class(), 36
- classification, 520
- Classification and Regression Tree, 526
- CLI, 970
- close, 641
- CLTV, 894
- clusterApplyLB(), 947
- clusterCall(), 945
- clusterCallEvalQ(), 946
- clusterSplit(), 947
- CLV, 750
- COBOL, 280
- CODASYL, 280
- coef(), 487
- CoGS, 718
- collect(), 985
- colnames(), 43
- compiler, 1010
- complex numbers, 36
- compute(), 564
- confint(), 493, 648
- confusionMatrix(), 545
- constant growth dividend discount model, 778
- constructor, 127
- cor(), 197
- cor(), 196
- Corpus(), 239
- correlation
 - Pearson, 196
 - Spearman, 197
- cost of debt, 732
- cost of equity, 732
- Cost of Goods Sold, 718
- count(), 374
- cov(), 197
- cov2cor(), 197
- covariation, 196
- coverage ratio, 733
- Cox–Ross–Rubinstein (option pricing method), 827
- CR, 728
- createDataFrame(), 985
- creator function, 128
- crontab, 892
- cross validation, 567, 615
- CRR, 827
- CSV, 100, 636, 986
- cube(), 986
- CUDA, 948
- cumulative density function, 200
- current ratio, 728

BIBLIOGRAPHY

curve(), 232
customer lifetime value, 750
customer value metric, 750
cut(), 64, 450
cv.glm(), 567
CVM, 750

daemon, 972
dailyReturn(), 642
DAOE, 786
daply(), 981
daplyCollect(), 982
data, 11
data(), 91
data dictionary, 288
data frame, 64
data wrangling, 335
data-mart, 336
data-warehouse, 336
data.entry(), 67
data.frame(), 64
data_gird(), 609
database
 MySQL, 106
date, 37
date_decimal(), 412
day(), 413
daylight savings time, 407
dbConnect(), 106
dbDisconnect(), 107
DBI, 992
dbinom(), 204
DBMS, 280
 navigational, 280
 RDBMS, 285
dbSendQuery(), 106
dbSendQuery(), 107
dbWriteTable(), 107
DCF, 784
DCF, 784
DDM, 777
DE, 734
de(), 67
debt to equity ratio, 734

decision tree, 522
Delt(), 642
delta hedging, 842
demo(), 91
dendrogram, 235
dev.off(), 219
devtools, 1032
diag(), 48
diagram, 668
dimnames, 43
discounted cash flow model, 784
dist(), 595
distribution
 beta, 200
 binomial, 200, 204
 cauchy, 200
 chi-squared, 200
 exponential, 200
 f, 200
 gamma, 200
 geometric, 200
 hypergeometric, 200
 log-normal, 200
 logistic, 200
 negative binomial, 200
 normal, 200
 Poisson, 200, 488
 t, 200
 uniform, 200
 weibull, 200
dividend discount model, 777
division, 75
dmy(), 409
dnorm(), 201
document(), 1037
doParallel, 941
dot-product, 45
dot.separator, 142
dplyr, 963
dplyr, 345, 375, 979, 990
DST, 407
duplicated(), 377
duration, 765

- dynamical scoping, 113
- e1071, 571
- EA, 741
- earnCompany Value and ngs before
interest, taxes and
depreciation, amortization,
718
- earnings after taxes, 719
- earnings before interest and taxes, 719
- earnings before taxes, 719
- EAT, 719
- EBIT, 719
- EBITDA, 718
- EBT, 719
- economic value added, 795
- edit(), 32
- edit(), 67, 94
- effective annual rate or annual
equivalent rate, 755
- enableJIT(), 1012
- entity relationship, 292
- environment(), 110
- environmental accounting, 741
- equal, 76
- ER, 292
- eval(), 946
- evalq(), 946
- Excel, 105
- exotic option, 859
- exponential smoothing, 266
- exponential distribution, 200
- exponential model, 270
- expression(), 232
- f(), 187
- f distribution, 200
- factor(), 60, 423
- factor analysis, 471
- factorextra, 596
- factors, 60
- false negative, 503
- false positive, 503
- FCF, 782
- FCFF, 782
- fct_count(), 424
- fct_infreq(), 429
- fct_relabel(), 425
- fct_reorder(), 429
- fct_rev(), 429
- fetch(), 107
- ff, 964
- field, 287
- file.choose(), 100
- filter(), 166, 373, 382
- filtering join, 375
- fix(), 94
- FK, 288, 302
- flameGraph(), 1023
- flexdashboard, 915
- floor_date(), 421
- flow control, 83
- FN, 503
- for, 86
- forcats, 168, 422
- force_tz(), 412
- foreach(), 940
- forecast, 261
- forecast(), 265
- forecasting, 260
- foreign exchange, 634
- foreign key, 288, 302
- format(), 72
- FORTTRAN, 279
- Fortran, 28, 948
- Fortran II, 279
- forward rate agreement, 806
- FOSS, xiv, 28
- FP, 503
- FRA, 806
- free cash flow, 782
- free cash flow to firm, 782
- FreeBSD, 192
- full_join(), 374
- function
create, 92
- function(), 92

BIBLIOGRAPHY

functions, 33, 91
future value, 754
FX, 634

gaia, 703
gamma distribution, 200
gapply(), 983
gather(), 365
gdata, 615
gearing ratio, 733
generator object, 154
generic, 130
generic function, 127
geom_boxplot(), 873
geom_count(), 873
geom_density(), 873
geom_label(), 578
geometric mean, 188
geometric distribution, 200
getClasses(), 146
getFX(), 634, 639
getGenerics(), 146
getMetals(), 634
getS3method(), 125
getSlots(), 140
getSymbols(), 632
getTree(), 548
ggplot(), 868
ggplot2, 167, 506, 833, 867
ggrepel, 577
Gini, 510
github, 1039
gl(), 63
glm(), 489, 498
global environment, 110
glue, 168
GM, 726
GNUPG, 341
googleVis, 913
GPG, 341
GPU, 948
gregexpr(), 74
grep(), 74
grepl(), 74, 632

grid.arrange(), 834
gridExtra, 834
gross margin, 726
group_by(), 208, 378, 429
gsub(), 74
guess_parser(), 348

HAC, 596
Hadoop, 965
Hadoop Common, 967
handler, 178
harmonic mean, 188
has.Cl(), 641
has.Hi(), 641
has.OHLS(), 641
hclust(), 595
head(), 66, 173
heat-map, 235
heatmap(), 235
help(), 91
heteroscedastic, 454
Hi(), 641
HiCl(), 641
hist(), 230
hist(), 230
histogram, 230
Hmisc, 443
hms, 168
holder mean, 188
holding company, 787
holt(), 267
Holt Exponential Smoothing, 267
hotPaths(), 1022
hour(), 413
hyper-parameter, 593
hypergeometric distribution, 200
hypothesis, 520

IBM, 280
IDE, 30
IERS, 408
if(), 83, 632
ifelse(), 84
import

- csv, 100
- importance(), 548
- impute(), 444
- induction learning, 520
- inflation rate, 756
- information, 12
- information technology, 5
- information value, 467
- InformationValue, 468
- INGRES, 281
- inner_loin(), 374
- insight, 12
- install.packages(), 96, 632
- installed.packages(), 98
- installing R, 30
- int_aligns(), 420
- int_end(), 420
- int_flip(), 420
- int_shift(), 420
- int_standardize(), 420
- int_start(), 420
- integrated development environment, 30
- Interest payment (in monetary units), 754
- interest rate, 756
- Internet of things, 282
- intersect(), 383
- interval(), 419
- interval scale, 1044
- intrinsic value, 789
- IoT, 282, 959
- is(), 146
- is.function(), 121
- is.object(), 121
- is.OHLC(), 641
- is.primitive(), 121
- ISO 8601, 408
- ISO standard, 17
- isS4(), 145
- IT, 5
- IV, 467
- Java, 969
- javascript, 907
- JIT, 1012
- jitter(), 231, 1064
- join, 375
- join(), 374
- kable(), 468, 927
- Kardashev, 6
- KDE, 800
- kernel density estimation, 800
- key performance indicator, 747
- knitr, 559, 882, 887, 927
- kNN, 597
- knn(), 597
- Kolmogorov Smirnov, 511
- Kondratiev, 5
- KPI, 747
- KS, 511
- ks.test(), 511
- Lag(), 642
- lapply(), 938
- last(), 638
- LaTeX, 232
- latex2exp, 1056
- LCC, 741
- LCV, 750
- leap_year(), 413
- learning
 - induction, 520
 - reinforced, 520
 - supervised, 520
 - unsupervised, 520
- left_join(), 374
- length(), 41
- level of measurement, 1041
- levels(), 429
- library(), 96, 97, 632
- life cycle costing, 741
- lifetime customer value, 750
- line plot, 216
- lineage, 977
- linear regression, 484
- lineChart(), 634

BIBLIOGRAPHY

Linux, 28, 192
liquid ratio, 727
liquidation cost, 787
list, 53
list(), 53
lit(), 986
lm(), 484, 487
Lo(), 641
localhost, 944
Loess, 268
log-normal distribution, 200
logistic distribution, 200
logistic regression, 498
logit, *see* logistic
long, 36
long call, 813
loop
 for, 86
 repeat, 87
 while, 88
lowerCamelCase, 142
LR, 727
ls(), 91
ls(), 35
LSE, 811
lubridate, 168, 366, 408

Mac, 28
Macaulay duration, 766
machine learning, 519, 994
MAD, 496
mad, 195
mad(), 195
magrittr, 168, 176
make_datetime(), 412
Management Information, 915
Management Information System, 737
map(), 614
map_int(), 465
MapReduce, 966, 967
MAR, 441
margin(), 1057
MariaDB, 296
Market Maker, 788

market value, 789
Market Value (of a company), 795
market value added, 795
MASS, 488
Master, 943
matrix, 41, 954
matrix(), 41, 42
max(), 91
MCDA, 652
mclapply(), 938
mdy(), 409
mean, 186, 187
 arithmetic, 186
 generalized, 188
 geometric, 188
 harmonic, 188
 holder, 188
 power, 188
 quadratic, 188
mean(), 91, 187
mean average deviation, 496
mean square error, 494
measure
 central tendency, 186
measures of spread, 194
median, 190
median absolute deviation, 195
memory limit, 960
merge(), 70
Methods(), 149
methods(), 124
methods, 131
MI, 915
mice(), 441
mice, 441
microbenchmark(), 999
microbenchmark, 999
minute(), 413
MIS, 737
missing at random, 441
ML, 519
MLlib, 987
mode, 191

- `mode()`, 191
`model`
 exponential, 270
 log-linear, 488
 Poisson, 488
`model performance`, 494
`model validation`, 626
`modelData()`, 644
`modelData()`, 643
`modelr`, 169, 599
`Monte Carlo Simulation`, 798
`month()`, 413
`monthlyReturn()`, 642
`moving average`, 261
`MRAN`, 30
`MSE`, 494
`mtcars`, 64
`multi criteria decision analysis`, 652
`multiple linear regression`, 487
`multiplication`, 75
`mutate()`, 380
`mutate_all()`, 381
`mutate_if()`, 381
`mutating join`, 375
`MySQL`, 106, 295, 327

`Nasdaq`, 633
`National Association of Securities Dealers Automated Quotations`, 633
`NAV`, 787
`nchar()`, 74
`ndays()`, 639
`negative binomial distribution`, 200
`net asset value`, 787
`Net Free Cash Flow`, 784
`net operating assets`, 730
`Net Operating Income After Taxes`, 719
`net operating profit`, 793
`Net Present Value`, 756
`Net Promoter Score`, 751
`net satisfaction score`, 752
`neural network`, 555
`new()`, 135, 145

`New York Stock Exchange`, 633
`NewSQL`, 282
`Next()`, 642
`niceness`, 1025
`nlevels()`, 61
`nls()`, 491
`NN`, 555
`NOA`, 730, 786
`nominal interest rate`, 755
`nominal scale`, 1042
`non-linear regression`, 491
`NOP`, 793
`NOPAT`, 719
`normal distribution`, 200
`NoSQL`, 282
`not`, 77
`not equal`, 76
`NPS`, 751
`NPV`, 756, 785
`nScribe()`, 479
`NSS`, 752
`nweeks()`, 639
`nyears()`, 639
`NYSE`, 633

`OA`, 729
`object databases`, 282
`object oriented`, 117
`object oriented programming`, 151
`object-relational mappings`, 282
`ODBC`, 963
`OL`, 729
`OLAP`, 900
`OLS`, 521
`OlsonNames()`, 411
`OO`, 117, 281, 1012
`OOP`, 151
`OpCl()`, 641
`open`, 641
`OpenCL`, 950
`operating assets`, 729
`operating liabilities`, 729
`operating system`, 162, 340
`operational cost`, 725

BIBLIOGRAPHY

Operational Expenditure, 725
Operational Expense, 725
operator
 arithmetic, 75
 assignment, 78
 logical, 76
 other, 81
 relational, 76
operators, 75
operators arithmetic, 75
OpEx, 725
option
 exotic, 859
options(), 175
or, 77
Oracle, 281
ordinal scale, 1043
ordinary least squares, 521
ORM, 282
OS, 162, 340
otype(), 122, 145
over-fitting, 530

P(), 187
P&L, 798
package, 1031
package creation, 1031
package.skeleton(), 1034
pairs(), 65
pam(), 596
parallel(), 479
parallel, 938
parLapply(), 945
parSapply(), 945
parse_date(), 348
parse_double(), 348
parse_factor(), 423
parse_guess(), 348
parse_number(), 348
partialPlot(), 549
past0(), 72
paste(), 72, 91, 94, 168
pbinom(), 204
PC, 281
PCA, 471, 703
PCs, 471
pdf, 200
PE, 790
period.max(), 641
period.min(), 641
periodicity(), 639
periodReturn(), 642
perl(), 397
personal computer, 281
PGP, 341
pie(), 219
pie chart, 218
pie(), 218
pipe, 163, 176
PK, 287, 292
plot
 bar, 220
 boxplot, 224
 functions(of), 232
 histogram, 230
 line, 216
 pie, 218
 scatter, 213
 stacked barplots, 221
plot(), 211, 505, 559
plot(), 213
plotmat, 1056
plotmat(), 668
plyr, 567
PM, 726
pm(), 413
PMM, 439
pnorm(), 201
points(), 217
Poisson, 488
Poisson distribution, 200
Poisson regression, 488
POSIXct, 408
power, 31, 75
power mean, 188
precision, 502
predictive mean matching, 439

- present value, 754
 pretty good privacy, 341
 price earnings ratio, 790
 price to book ratio, 791
 price to sales ratio, 792
 price-to-cash-flow ratio, 792
 primary key, 287, 292
 principal component analysis, 471
 principal components, 471
 princomp(), 474
 print(), 173
 probability, 187
 probability density function, 187, 200
 processing unit, 948
 product, 31
 Profit and Loss, 798
 profit margin, 726
 profr, 1022
 PROMethEE, 687
 prop.table(), 222
 prototype(), 141
 prp(), 537
 pruning, 524
 pryr, 122
 PTB, 791
 PTCE, 792
 PTS, 792
 PU, 948
 punched cards, 280
 purrr, 167, 168
 Python, 995

 q(), 91
 Q-Q plot, 202, 646
 qbinom(), 204
 qday(), 413
 qnorm(), 201
 QR, 729
 quantile function, 200
 quantmod, 632
 quarter(), 413
 quarterlyReturn(), 642
 QUEL, 281
 quick ratio, 729

 R5, 151
 R6, 159
 R&D, 718
 R_GlobalEnv, 110
 random, 200
 random forest, 548
 randomForest(), 549
 randomForest, 548
 randomForest(), 552
 ratio, 726
 ratio scale, 1045
 rbind(), 52, 69
 rbinom(), 204, 206
 RC, 151, 1012
 reference class, 119
 RCA, 740
 RColorBrewer, 238
 Rcpp, 1013
 rcrypt, 341
 RDBMS, 280, 285
 RDD, 969, 977, 980
 reactive(), 932
 read.csv(), 349
 read.fwf(), 351
 read.ml(), 988
 read_csv(), 349
 read_csv2(), 349
 read_fwf(), 352
 readLines(), 100, 239
 readr, 167, 346, 349, 351
 readxl, 168
 real interest rate, 756
 realizable, 521
 receiver operator characteristic, 505
 recipes, 169
 rectangular data, 64
 refclass, 151
 reference class RC, 119
 referential integrity, 310
 regex, 390
 regexexec(), 74
 regexpr(), 74
 regression, 520

BIBLIOGRAPHY

linear, 484
logistic, 498
multiple linear, 487
non-linear, 491
Poisson, 488
regular expression, 390
reinforced learning, 520
relational database management
 system, 285
relational operators, 76
repeat(), 87
require(), 96
resample(), 615
resample_partition(), 607, 617
research and development (costs), 718
resid(), 493
residuals(), 493, 648
Resource Consumption Accounting, 740
response variable, 488
ReText, 971
return on capital employed, 793
Return on Equity, 794
return on invested capital, 793
rex(), 397
rex, 397
right_join(), 374
risk free interest rate, 777
risk premium, 777
rm(), 35
rmse(), 617
RMySQL, 106, 328
rnorm(), 201
ROC, 505
ROCE, 793
ROCR, 505, 544
RODBC, 963
RODBC, 327
ROE, 794
ROI, 793
ROIC, 793
round_date(), 421
rownames(), 43
roxygen, 1032
rpart(), 531
rpart, 531
rpart.plot, 537
Rprof(), 1020
rpud, 948
rsample, 169
RStudio, 30, 963, 990, 1034
RStudio Server, 962
rug(), 231
runif(), 145

S, 27, 741
S3, 126
S4groupGeneric(), 149
S&P500, 257
sales, 741
sample(), 611, 615
sampling, 263, 610
SCA, 740
scale
 interval, 1044
 nominal, 1042
 ordinal, 1043
 ratio, 1045
scale(), 596
scale_colour_grey(), 249
scale_fill_grey(), 249
scan(), 32
scatterplot, 213
scientific method, 4, 10
scientist, 10
sd(), 194
seasonal trend, 268
second(), 413
security market line, 770
select(), 372
semester(), 413
sensitivity, 502
separate(), 369
seq(), 91
seriesHi(), 641
service level agreement, 901
ses(), 266
set.seed(), 548

- setClass(), 135, 145
setdiff(), 383
setequal(), 383
setGeneric(), 147
setMethod(), 147
setRefClass(), 151
shinydashboard, 915, 930
short call, 814
short-cut, 70
showMethods(), 146
signed, 301
singularity, 11
SLA, 901
slave, 943
slot(), 138
smaller than, 76
SML, 770
snake_case, 142
snow, 943
SnowballC, 238
sodium, 340
solve(), 48
sort(), 40
sorting, 40
source(), 891, 1031
source(), 33
sourceCpp(), 1017
spark.lapply(), 984
spark_apply(), 993
SparkDataFrame, 976
sparkinstall, 972
sparklyr, 990
SparkR, 976
spec(), 350
spec_csv(), 350
specificity, 502
specifyModel(), 642, 644
specifyModel(), 642
spread
 standard deviation, 194
spread(), 367
SQL, 291
ssh, 944
Standard Cost Accounting, 740
standard deviation, 194
statistics, 185
stats, 511
STL, 268
stl(), 268
stockSymbols(), 633
stopCluster(), 947
storage.mode(), 191
str(), 145
str_c(), 386
str_dup(), 389
str_flatten(), 387
str_length(), 386, 387
str_sub(), 387
str_to_lower(), 387
str_to_upper(), 387
Stress Test, 797
string, 36, 72
stringi, 168, 386
stringr, 168, 386
strsplit(), 74, 405
struct, 120
structure(), 126
sub(), 74
subset(), 37
subset(), 103
subtraction, 75
substring(), 74
sum(), 91
sum of squares of the regression, 496
sum of squares of the residuals, 496
summarise(), 208
summary(), 66, 423
supercomputer, 939
supervised learning, 520
support vector machine, 570
SVM, 570
svm(), 571, 572
sweep(), 222, 673
switch(), 85
SWOT, 658
Sys.Date(), 144

BIBLIOGRAPHY

`Sys.getenv()`, 17
System R, 281
`system.time()`, 998

T, 741
`t()`, 125
`t.data.frame()`, 125
`t.test()`, 125
t distribution, 200
TA, 741
table, 280, 287
`table()`, 451, 503
`tabulate()`, 192
`tail()`, 66, 641
tarball, 970
target costing, 741
TargetC, 741
TC, 731
TCE, 727, 731
temperature, 41
test
 chi square, 198
TeX(), 1056
`text()`, 217, 232
text mining, 238
the market value of asset i , 732
the return of asset i , 732
`theme()`, 1057
throughput, 741
throughput accounting, 741
tibble, 168
`tidy()`, 613
tidymodels, 169
tidyr, 167, 358, 365, 369
tidyverse, 166, 386
time series, 255
time-stamp, 256
time-zone, 407, 411
tm, 238, 239
`tm_map()`, 240
TN, 503
`to.minutes10()`, 639
`to.minutes5()`, 639
`to.monthly()`, 639
`today()`, 412
`tolower()`, 74
top, 1025
total capital, 731
total capital employed, 731
total cost of equity, 727
total debt expressed in currency, 732
total equity expressed in currency, 732
total sum of squares, 496
total variable costs, 741
`toupper()`, 74
TP, 502
training, 555
`transmute()`, 381
true negative, 503
true positive, 502
`try()`, 178
`tryCatch()`, 178
`ts()`, 256
TVC, 741
TWO FISH, 341
Type I error, 503
Type II error, 503
`typeof()`, 121

UCITS, 788
UDE, 981
Undertaking for Collective Investments
 in Transferable Securities, 788
uniform distribution, 200
`union()`, 383
`union_all()`, 383
`unique()`, 192, 424
`uniqv()`, 192
United States of America, 17
unix timestamp, 408
unknown variable, 488
`unlink()`, 1023
`unlist()`, 59
unrealizable, 521
unsigned, 301
unsupervised learning, 575
unsupervised learning, 520
`update()`, 414

UpperCamelCase, 142
url, 398
UseMethod(), 128, 130
useMethod(), 123
utils, 346, 349, 351, 1020

var(), 197
variable
 unknown, 488
variables, 34
variance, 194, 770
VB, 798
vector, 38
vi, 94, 971
ViennaCL, 950
VIM, 438
vioplot(), 226
vioplot, 226
Visual Basic, 798
Vo(), 641
volume, 641

WC, 730
wday(), 413
week(), 413
weeklyReturn(), 642
weibull distribution, 200
weight of evidence, 467

weighted average cost of capital, 731
weighted sum method, 671
while, 88
Windows, 28
with(), 226
with_tz(), 412
withColumn(), 986
wodcloud, 238
WOE, 467
word cloud, 238
wordcloud(), 244
working capital, 730
write.ml(), 988
WSM, 671

xls, 168
xlsx, 168
xts, 637–639, 1006

YAML, 882
yday(), 413
ydm(), 409
year(), 413
yearlyReturn(), 642
yield to maturity, 766
ymd(), 409

zoo, 638, 1006